



FINESCOPE PRICE LIST 2019

Effective March 1, 2019Supersedes previous Price List dated 3/1/18





VMU

Order No.		Description	List Price
	MICROSCOPE LIN	IITS FOR MACHINE VISION (BRIGHTFIELD) AND LASER CUTTING APPLICATIONS	LISTITICO
378-505	VMU-V	BRIGHTFIELD, ERECT IMAGE, VERTICAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories)	\$3,780.00
378-502	VMU-H	BRIGHTFIELD, INVERTED IMAGE, HORIZONTAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories), (While supplies last, new part number 378-506)	\$4,656.00
378-507	VMU-L	BRIGHTFIELD, LASER PORT FOR 1064/532/355, ERECT IMAGE, VERTICAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories)	\$6,480.00
378-513	VMU-LB	BRIGHTFIELD, LASER PORT FOR 1064/532/355, ERECT IMAGE, VERTICAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories) Replaces the 378-507 with enhanced transmission for NIR wavelengths	\$8,000.00
378-508	VMU-L4	BRIGHTFIELD, LASER PORT FOR 550/266 ERECT IMAGE, VERTICAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories)	\$9,961.00
378-514	VMU-L4B	BRIGHTFIELD, LASER PORT FOR 1064/532/355/266 ERECT IMAGE, VERTICAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories) Replaces the 378-508 with enhanced transmission for NIR wavelengths	\$11,021.00
Wide Field o	f View VMU (FO\	/ in Camera Port: Ø 30mm; Sensor Size: APS-C Format [2 in.]; F mount w/ C Mount adapter)	
378-515	Wide VMU-V	BRIGHTFIELD, ERECT IMAGE, VERTICAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories)	\$7,820.00
378-516	Wide VMU-H	BRIGHTFIELD, INVERTED IMAGE, HORIZONTAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories)	\$8,689.00
378-517	Wide VMU-BDV	BRIGHT/DARKFIELD, ERECT IMAGE, VERTICAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories)	\$11,315.00
378-518	Wide VMU-BDH	BRIGHT/DARKFIELD, INVERTED IMAGE, HORIZONTAL CAMERA MOUNT Requires Objective, Fiber Optic Light Pipe, and Power Supply (See Accessories)	\$12,077.00
VMU ACCES	SORIES		
378-020		X/Y 4" X 2" LOW POSITION RIGHT HAND STAGE FOR 378-730	\$2,130.00
378-025		X/Y TABLE 2"X2" TRAVEL FOR 164-162 (2) DIGIMATIC DRO FOR 378-730	\$1,440.00
164-164*		DIGITAL READOUT MICROMETERS-EACH: REQUIRES 2 FOR 378-025	\$947.00
378-087		VIDEO 1X ADAPTER "C" MOUNT FOR VMU-L AND L4 LASER PORT	\$259.00
378-700A		12V/100W SCHOTT-HOYA FIBER OPTIC POWER SUPPLY AND FIBER OPTIC CABLE-6 FOOT METAL CLAD	\$1,620.00
378-703		VIDEO 2.0X ADAPTER "C" MOUNT FOR VMU-V/H	\$1,530.00
378-704		VIDEO 0.5X ADAPTER "C" MOUNT FOR VMU-V/H	\$1,530.00
378-705		FOCUS BLOCK W/COARSE AND FINE (1u/TURN FINE FOCUS) ADJUSTMENT	\$2,840.00
378-706		FOCUSING UNIT B FOR VMU (cannot be used with power turret)	\$1,770.00
378-707		MANUAL BRIGHTFIELD 4X TURRET-VMU	\$1,260.00
378-708A		POWER BRIGHTFIELD 4X TURRET W/CONTROLLER-VMU	\$5,930.00
378-713A		5-POSITION POWER TURRET (BF)/VMU	\$5,620.00
378-730		PLAIN STAND-TALL-USE WITH X/Y STAGES - NO FOCUS BLOCK	\$1,740.00
378-731		PLAIN STAND-SHORT FOR VMU WITHOUT X/Y STAGES - NO FOCUS BLOCK	\$1,620.00
378-710		POLARIZER VMU	\$1,660.00
378-715		POLARIZED LIGHT UNIT (B) for 378-513 and 378-514	\$1,110.00
12AAB251*		ND-2 NEUTRAL DENSITY FILTER (for use with 300-700A)	\$65.65
12AAB252*		ND-8 NEUTRAL DENSITY FILTER (for use with 300-700A)	\$65.65
50AAB310		FIBER OPTIC LIGHT GUIDE W/90 DEGREE METAL PROTECTOR-6 FOOT (FOR USE WITH 989-105*)	\$515.00
989-105*		21V/150W, 200 HOURS, QUARTZ HALOGEN POWER SUPPLY W/ 6 FOOT REMOTE INTENSITY CONTROL FOR 50AAB310 LIGHT PIPE	\$510.00
378-718		FOCUSING UNIT C WIDE VMU (Wide VMU only)	\$2,550.00
378-719		POLARIZATION UNIT C WIDE VMU (Wide VMU only)	\$1,510.00
378-724		BRIGHT FIELD REVOLVER (Wide VMU only)	\$905.00
378-725		BRIGHT/DARK FIELD REVOLVER (Wide VMU only)	\$1,590.00
378-726A		BRIGHT FIELD MOTORIZED REVOLVER (Wide VMU only)	\$5,230.00
378-727A		BRIGHT/DARK FIELD MOTORIZED REVOLVER (Wide VMU only)	\$5,230.00
		-	

^{*} Item's discount code is different from standard Finescope. Please contact Mitutoyo for appropriate discount.



FS-70

FS-70 STANDARD Microscope Body-BRIGHTFIELD FS70 BRIGHTFIELD, ERECT IMAGE FIXED 50% /50% TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70-S BRIGHTFIELD, ERECT IMAGE FIXED 50% /50% TRINOCULAR BODY (FN=24), W/ SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70-S BRIGHTFIELD, ERECT IMAGE FIXED 50% /50% TRINOCULAR BODY (FN=24), W/ SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70-TH BRIGHTFIELD, ERECT IMAGE TURTER AND EYEPIECES (SEE ACCESSORIES) FS70-THS BRIGHTFIELD, ERECT IMAGE 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z 1-2X ZOOM MICROSCOPE BODY-BRIGHTFIELD FS70Z BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD PRICT SIDE F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-TB BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-S BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATOR PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT	Order No.	Description	List Price
## FIXED 50% 50% TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) 378-184-2 ## FXPO 50% 50% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) 570-TH BRIGHTFIELD, ERECT IMAGE ## TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATOR PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) 570-THS BRIGHTFIELD, ERECT IMAGE ## TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) ## FXPOZ 1-2X ZOOM Microscope Body-BRIGHTFIELD ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE ## FXPOZ-THS BRIGHTFIELD W/1			
### Style="color: blue;"> ### Style="color: blue; foliate: blue; f	378-184-1	FIXED 50%/ 50% TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATON PORT	\$6,052.00
TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) 788-184-4 TILTING ERGONOMIC HEAD ERECT IMAGE TILTING ERGONOMIC HEAD ERECT IMAGE 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) F570Z 1-2X Zoom Microscope Body-BRIGHTFIELD F570Z BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/ 50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) F570Z-5 BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/ 50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) F570Z-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY, ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) F570Z-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY, ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) F570Z-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O \$11,124.	378-184-2	FIXED 50%/ 50% TRINOCULAR BODY (FN=24), W/ SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATON PORT	\$6,052.00
TILTING ERGONOMIC HÉAD ERECT IMAGE 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z 1-2X Zoom Microscope Body-BRIGHTFIELD FS70Z BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/ 50% OBSERVATION /TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-S BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/ 50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY, ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE 200M TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O \$10,900.	378-184-3	TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE,	\$9,847.00
FS70Z BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/ 50% OBSERVATION /TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-S BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/ 50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O I LUMINATOR PORT: REQUIRES F/O POWER SUPPLY, ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O \$10,900.	378-184-4	TILTING ERGONOMIC HEAD ERECT IMAGE 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, LEFT	\$9,847.00
FIXED 50%/ 50% OBSERVATION /TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE ,TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-S BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE FIXED 50%/ 50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE ,TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O I LLUMINATOR PORT: REQUIRES F/O POWER SUPPLY, ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O \$10,900.	FS70Z 1-2X Zo	om Microscope Body-BRIGHTFIELD	
378-185-2 FIXED 50%/ 50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-TH BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O I \$11,124. LLUMINATOR PORT: REQUIRES F/O POWER SUPPLY, ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O \$10,900.	378-185-1	FIXED 50%/ 50% OBSERVATION /TV TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT	\$7,540.00
378-185-3 TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O I LLUMINATOR PORT: REQUIRES F/O POWER SUPPLY, ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES) FS70Z-THS BRIGHTFIELD W/1X-2X VARIABLE ZOOM TUBE LENS, ERECT IMAGE TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O \$10,900.	378-185-2	FIXED 50%/ 50% OBSERVATION/TV TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O ILLUMINATON PORT	\$6,780.00
378-185-4 TILTING ERGONOMIC HEAD, ERECT IMAGE 0%/100% TRINOCULAR BODY (FN=24), W/SHORT FOCUS BLOCK, TOP SIDE F/O \$10,900.	378-185-3	TILTING ERGONOMIC HEAD, 0%/100% OBSERVATION/TV, TRINOCULAR BODY (FN=24), W/FOCUS BLOCK, TOP SIDE F/O I	\$11,124.00
ILLUMINATOR PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR, LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES)	378-185-4		\$10,900.00

NOTE: DARKFIELD FS70Z-S BODY AVAILABLE ON REQUEST AS SPECIAL QUOTE

FS70L NIR, NUV AND VISIBLE LASER MICROSCOPE FOR WAVELENGTHS 1064,355,532 (DIC NOT AVAILABLE)		
378-186-1	FS70L 1X NIR TUBE LENS: SUPPORTS THREE (YAG) LASER WAVELENGTH: 1064nm, 532nm, 355nm; ERECT IMAGE: SWITCHABLE EYEPIECE-LASER PORT: 100/0 OR 0/100 (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES)	\$7,911.00
378-186-2	FS70L-S 1X NIR TUBE LENS: FOR THREE (YAG) LASER WAVELENGTHS:1064nm, 532nm, 355nm; ERECT IMAGE: SWITCHABLE EYEPIECE-LASER PORT:100/0 OR 0/100 (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES)	\$7,880.00
378-186-3	FS70L-TH 1X NIR TUBE LENS: SUPPORTS THREE (YAG) LASER WAVELENGTH: 1064nm, 532nm, 355nm; ERECT IMAGE: SWITCHABLE EYEPIECE-LASER PORT: 100/0 OR 0/100 (FN=24), TILTING HEAD W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINA-TION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES)	\$11,536.00
378-186-4	FS70L-THS 1X NIR TUBE LENS: FOR THREE (YAG) LASER WAVELENGTHS: 1064nm, 532nm, 355nm; TILTING ERGONOMIC HEAD ERECT IMAGE: SWITCHABLE EYEPIECE-LASER PORT:100/0 OR 0/100 (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES (SEE ACCESSORIES)	\$11,900.00
FS70L4 ULTRAVIC	DLET AND VISIBLE LASER MICROSCOPE BODY FOR 266/532 WAVELENGTHS (DIC NOT AVAILABLE)	
378-187-1	FS70L4 1X UV TUBE LENS: FOR 2 LASER WAVELENGTHS: 532nm, 266nm; ERECT IMAGE: SWITCHABLE: EYEPIECE-LASER PORT 100/0 OR 0/100 (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES	\$10,239.00
378-187-2	FS70L4-S 1X UV TUBE LENS: FOR 2 LASER WAVELENGTHS: 532nm, 266nm; ERECT IMAGE: SWITCHABLE: EYEPIECE-LASERPORT: 100/0 OR 0/100 ERGONOMIC TRINOCULAR (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES	\$9,620.00
378-187-3	FS70L4-TH 1X UV TUBE LENS: FOR 2 LASER WAVELENGTHS: 532nm, 266nm; ERECT IMAGE: SWITCHABLE: EYEPIECE-LASER PORT 100/0 OR 0/100 TILTING HEAD (FN=24), W/FOCUS BLOCK, LEFT SIDE F/O ILLUMINATION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES	\$14,008.00
378-187-4	FS70L4-THS 1X UV TUBE LENS: FOR 2 LASER WAVELENGTHS: 532nm, 266nm; ERECT IMAGE: SWITCHABLE: EYEPIECE-LASERPORT: 100/0 OR 0/100 TILTING ERGONOMIC HEAD TRINOCULAR (FN=24), W/SHORT FOCUS BLOCK, LEFT SIDE F/O ILLUMINATION PORT: REQUIRES F/O POWER SUPPLY ILLUMINATOR LIGHT PIPE, TURRET AND EYEPIECES	\$13,800.00



FS-70 Accessories

Item No.	Description	List Price
POLARIZER /	DIC SET FOR FS-70 SERIES	
378-092	POLARIZER/ANALYZER FOR FS70Z	\$741.00
378-093	POLARIZER/ANALYZER FOR FS70 & FS70L	\$741.00
378-094	POLARIZER/ANALYZER FOR FS70L4	\$741.00
378-076	DIC WOLLASTON PRISM USED WITH POLARIZER 378-092/093 FOR 100X, SL50X, SL80X	\$2,700.00
378-078*	DIC WOLLASTON PRISM USED WITH POLARIZER 378-092/093 FOR 50X, SL20X	\$2,700.00
378-079*	DIC WOLLASTON PRISM USED WITH POLARIZER 378-092/093 FOR 20X	\$2,700.00
378-080*	DIC WOLLASTON PRISM USED WITH POLARIZER 378-092/093 FOR 5X, 10X	\$2,700.00
EYEPIECES-FO	DCUSING	
378-856	10X WIDE FIELD FOCUSING EYEPIECES (2pc) FN=24 ACCEPTS 25MM DIAMETER RETICLES	\$887.00
378-866	10X WIDE VIEW FIELD EYEPIECE (2pc) FN=24	\$861.00
378-866-5	10X WIDE FIELD FOCUSING EYEPIECE (1pc) FN=24 ACCEPTS 25MM DIAMETER RETICLES	\$431.00
218380*	RUBBER EYEGUARD FOR 378-856 EACH	\$5.45
378-857	15X FOCUSING EYEPIECES (2pc) FN=16	\$1,320.00
378-858	20X FOCUSING EYEPIECES (2pc) FN=12	\$1,340.00
EYEPIECE RE	FICLES: O.D.=25mm/1mm THICK	
516848	90 DEGREE CROSS FULL LINES	\$127.72
516849	GRADUATED LINES:P=0.1/10mm	\$123.60
516850	GRADUATED LINES:P=0.05/5mm	\$123.60
516576	90 DEGREE/60 DEGREE/CHAIN LINES	\$123.60
516577	GRADUATED LINE AND CROSS LINE P=0.1/20mm	\$123.60
516578	CONCENTRIC CIRCLE W/CROSS LINE P=1.2/1.2-18mm	\$123.60
TURRETS		
378-018	ADJUSTABLE CENTERABLE TURRET - 4 BRIGHTFIELD OBJECTIVE POSITIONS: ONE FIXED AND 3 ADJUSTABLE POSITIONS	\$1,560.00
378-019	FS70 STANDARD 4 POSITION (4X) MANUAL BRIGHTFIELD TURRET: NON-ADJUSTABLE/NON-CENTERABLE	\$811.00
12BAC033*	ADJUSTABLE TURRET WRENCH-EXTRA	\$40.05
378-016A	4X MOTORIZED ADJUSTABLE TURRET - 1 FIXED+3 ADJUSTABLE BRIGHTFIELD POSITIONS: FS-70 AND MF-U SERIES	\$6,110.00
378-216A	5X MOTORIZED ADJUSTABLE TURRET: 1 FIXED AND 4 ADJUSTABLE FS-70 BRIGHTFIELD TURRET: FS70 AND MF-U SERIES	\$5,750.00
COARSE/FINE	(1U/FINE/ROTATION) MANUAL FOCUS BLOCK FOR FS70: USE AS REPLACEMENT FOR FS60	
378-062	STANDARD MANUAL FOCUS BLOCK FS-70	\$2,440.00
FIBER OPTIC	LLUMINATION	
378-700A	12V/100W SCHOTT HOYA F/O SURFACE LIGHT SOURCE, AND 6 FOOT F/O LIGHT METAL GUIDE, CE APPROVED, SPARE LAMP	\$1,620.00
989-105*	21V/150W, 200 HOURS, QUARTZ HALOGEN POWER SUPPLY WITH 6 FOOT REMOTE INTENSITY ADJUST CONTROL	\$510.00
50AAB310	FIBER OPTIC LIGHT GUIDE W/90 DEGREE METAL PROTECTOR-6 FOOT (FOR USE WITH 989-105*)	\$515.00
COLOR FILTE	RS AND DUST CAPS FOR FS-70 BODY	
12AAA643*	NEUTRAL DENSITY 2	\$57.50
12AAA645*	GREEN INTERFERENCE FILTER	\$101.00
12AAA646*	LB 80-LIGHT BALANCING DAYLIGHT FILTER	\$57.50
12BAB293*	RUBBER CAP FOR DIC SLOT ABOVE TURRET-CURVED SHAPE	\$7.50
513659*	OBJECTIVE DUST PLUGS PLASTIC- FOR ALL BRIGHTFIELD TURRETS	\$3.95

^{*} Item's discount code is different from standard Finescope. Please contact Mitutoyo for appropriate discount.



FS-70 Accessories cont.

Item No.	Description	List Price
"C" MOUNT \	/IDEO/CCD ADAPTERS	
378-042*	1X "C" MOUNT (NO LENS) ADAPTER B	\$191.00
375-054*	0.5X "C" MOUNT ADAPTER-REQUIRES 378-042* TO CONNECT C-MOUNT CAMERA TO FS70 HEAD. INCREASES FIELD OF VIEW TO CAMERA	\$2,080.00
PLAIN STAND	AND STAGE ACCESSORIES FOR FS-70	
378-730	PLAIN COLUMN STAND FOR FS70 SERIES	\$1,740.00
378-736	CONTOUR ILLUMINATION UNIT/FS70	\$1,480.00
319-101*	2"X2" X/Y TABLE FOR DIGITAL MICROMETERS. Note: USER MUST CUSTOM FIXTURE TAP HOLES FOR 378-730 STAND	\$1,440.00
164-164*	DIGIMATIC MICROMETER -REQ 2 FOR X/Y MEASUREMENT ON STAGE 319-101*/378-025	\$947.00
378-020	2"X2" X/Y STAGE W/LOW POSITION RIGHT HAND CONTROL AND GLASS PLATES FOR TRANSMITTED LIGHT APPLICATIONS	\$2,130.00
378-025	2"X2" X/Y TABLE W/GLASS PLATE FOR LIGHT: REQUIRES (2) 164-164* MIC HEADS TRANSMITTED AND REFLECTED LIGHT APPLICATIONS	\$1,440.00
FS70 MISCELLANEOUS ACCESSORIES		
538613*	ALLEN KEY 1.5mm TO FIX ADJUSTABLE REVOLVER TO FS-70 BODY	\$1.10
12BAC033*	WRENCH FOR ADJUSTABLE REVOLVER 378-018 FOR FS-70	\$40.05

Item No.	Description	List Price	
M PLAN APOCHROMAT BRIGHTFIELD OBJECTIVES			
378-800-3	M PLAN APO 1X NA 0.025, WD 11.0mm (WITH 1/4 WAVE PLATE FOR GLARE REDUCTION)	\$2,450.00	
378-801-6	M PLAN APO 2X NA 0.055, WD 34.0mm	\$937.00	
378-802-6	M PLAN APO 5X NA 0.14, WD 34.0mm	\$701.00	
378-807-3	M PLAN APO 7.5X NA 0.21, WD 35.0mm	\$1,290.00	
378-803-3	M PLAN APO 10X NA 0.28, WD 33.5mm	\$881.00	
378-804-3	M PLAN APO 20X NA 0.42, WD 20.0mm	\$2,070.00	
378-805-3	M PLAN APO 50X NA 0.55, WD 13.0mm	\$2,690.00	
378-806-3	M PLAN APO 100X NA 0.70, WD 6.0mm	\$3,490.00	
M PLAN APOCH	ROMAT BRIGHTFIELD SUPER LONG (SL) WORKING DISTANCE OBJECTIVES		
378-810-3	M PLAN APO SL 20X NA 0.28, WD 30.5mm	\$3,111.00	
378-811-15	M PLAN APO SL 50X NA 0.42, WD 20.5mm	\$3,400.00	
378-813-3	M PLAN APO SL 100X NA 0.55, WD 13.0mm	\$4,810.00	
378-816-3	M PLAN APO SL 200X NA 0.62, WD 13.0mm	\$11,200.00	
M PLAN APOCH	ROMAT HIGH RESOLUTION BRIGHTFIELD OBJECTIVES		
378-787-4	M PLAN APO HR 5X NA 0.21, WD 25.5mm	\$4,890.00	
378-788-4	M PLAN APO HR 10X NA 0.42, WD 15.0mm	\$8,160.00	
378-814-4	M PLAN APO HR 50X NA 0.75, WD 5.2mm	\$5,740.00	
378-815-4	M PLAN APO HR 100X NA 0.90, WD 1.3mm	\$6,180.00	
G PLAN APOCHI	ROMAT BRIGHTFIELD OBJECTIVES WITH COVER SLIP CORRECTIONS		
378-847	G PLAN APO BF 20X NA 0.28 WD 29.42mm T=3.5mm	\$4,260.00	
378-848-3	G PLAN APO BF 50X NA 0.50 WD 13.89mm T=3.5mm	\$4,350.00	

^{*} Item's discount code is different from standard Finescope. Please contact Mitutoyo for appropriate discount.



OBJECTIVES cont.

Order No.	Description	List Price
M PLAN APO	CHROMAT NIR OBJECTIVES	
378-822-5	M PLAN NIR BF 5X NA 0.14, WD 37.5mm	\$1,610.00
378-823-5	M PLAN NIR BF 10X NA 0.26, WD 30.5mm	\$1,840.00
378-824-5	M PLAN NIR BF 20X NA 0.40, WD 20.0mm	\$3,310.00
378-825-5	M PLAN NIR BF 50X NA 0.42, WD 17.0mm	\$4,070.00
378-826-15	M PLAN NIR BF 100X NA 0.50, WD 12.0mm	\$5,380.00
HIGH RESOLU	JTION NIR and NIR B (SUITED FOR YAG LASER, 1064nm & 532nm) M PLAN APOCHROMATS	
378-863-5	M PLAN NIR HR BF 50X NA 0.65 WD 10.0mm	\$8,990.00
378-864-5	M PLAN NIR HR BF 100X NA 0.70 WD 10.0mm	\$10,800.00
378-867-5	M PLAN APO NIR B 20X NA 0.40 WD 25.5	\$4,340.00
378-868-5	M PLAN APO NIR B 50X NA 0.42 WD 25.5	\$5.720.00
COVERSLIP CO	ORRECTED OBJECTIVES FOR NIR AND VISIBLE WAVELENGTHS	
378-821-5	LCD PLAN APO NIR BF 20X NA 0.40 WD 19.98 T=0.7mm	\$5,665.00
378-827-5	LCD PLAN APO NIR BF 20X NA 0.40 WD 19.98mm T=1.1mm	\$4,590.00
378-828-5	LCD PLAN APO NIR BF 50X NA 0.42 WD 17.13mm T=1.1mm	\$5,171.00
378-829-5	LCD PLAN APO NIR BF 50X NA 0.42 WD 17.26mm T=0.7mm	\$5,860.00
378-752-15	LCD PLAN APO NIR BF 100X NA 0.50 WD 12.13mm T=1.1mm	\$11,742.00
378-754-15	LCD PLAN APO NIR BF 100X NA 0.50 WD 12.06mm T=0.7mm	\$11,742.00
COVERSLIP CO	ORRECTED OBJECTIVES FOR NUV AND VISIBLE WAVELENGTHS	
378-890-8	LCD PLAN APO NUV BF 20X NA=0.42 WD 16.96 T=0.7mm	\$7,004.00
378-753-8	LCD PLAN APO NUV BF 50X NA=0.44 WD 14.53 T=1.1mm	\$13,287.00
378-820-6	LCD PLAN APO NUV BF 50X NA=0.42 WD 14.76 T=0.7mm	\$9,621.00
378-751-4	LCD PLAN APO NUV BF 100X NA=0.42 WD 11.03mm T=1.1mm	\$9,981.00
378-891-6	LCD PLAN APO NUV BF HR 50X NA=.65 WD 9.76mm T=0.7mm	\$15,656.00
M PLAN APO	OBJECTIVE FOR NUV 355nm AND VISIBLE WAVELENGTHS	
378-809-5	M PLAN APO NUV BF 10X OBJECTIVE NA 0.28, WD30.5mm	\$3,110.00
378-817-8	M PLAN APO NUV BF 20X OBJECTIVE NA 0.42, WD17.0mm	\$6,380.00
378-818-8	M PLAN APO NUV BF 50X OBJECTIVE NA 0.44, WD15.0mm	\$6,375.00
378-819-4	M PLAN APO NUV BF 100X OBJECTIVE NA 0.50, WD11.0mm	\$8,400.00
378-888-6	M PLAN APO NUV HR BF 50X OBJECTIVE NA 0.65, WD10.0mm	\$13,000.00
M PLAN ACHI	ROMAT UV OBJECTIVES FOR 266/532nm AND VISIBLE WAVELENGTHS	
378-844-15	M PLAN UV BF 10X NA 0.25, WD 20.0mm	\$12,100.00
378-837-8	M PLAN UV BF 20X NA 0.37, WD 15.0mm	\$16,900.00
378-838-8	M PLAN UV BF 50X NA 0.41, WD 12.0mm	\$17,200.00
378-839-5	M PLAN UV BF 80X NA 0.55, WD 10.0mm	\$23,700.00
COVERSLIP CO	ORRECTED OBJECTIVES FOR UV AND VISIBLE WAVELENGTHS	
378-892-8	LCD PLAN UV BF 20X NA 0.37, WD 15.0mm T= 0.7mm	\$16,995.00
378-893-8	LCD PLAN UV BF 50X NA 0.41, WD 12.4mm T= 0.7mm	\$17,407.00

^{*} Item's discount code is different from standard Finescope. Please contact Mitutoyo for appropriate discount.



OBJECTIVE LENSES and Accessories

Order No.	Description	List Price
BRIGHTFIELD	DARKFIELD (BD) M PLAN APOCHROMATS	
378-831-7	BD M PLAN APO 2X NA 0.055, WD 34.0mm	\$991.00
378-832-7	BD M PLAN APO 5X NA 0.14, WD 34.0mm	\$907.00
378-830-7	BD M PLAN APO 7.5X NA 0.21, WD 34.0mm	\$1,669.00
378-833-7	BD M PLAN APO 10X NA 0.28, WD 34.0mm	\$1,113.00
378-834-5	BD M PLAN APO 20X NA 0.42, WD 20.0mm (While supplies last, new part number 378-834-7)	\$2,472.00
378-835-7	BD M PLAN APO 50X NA 0.55, WD 13.0mm	\$3,327.00
378-836-7	BD M PLAN APO 100X NA 0.70, WD 6.0mm	\$3,842.00
BRIGHTFIELD	DARKFIELD (BD) HIGH RESOLUTION M PLAN APOCHROMATS	
378-845-7	BD M PLAN APO 50X, NA 0.75, WD 5.2mm	\$5,490.00
378-846-7	BD M PLAN APO 100X, NA 0.90, WD 1.3mm	\$5,995.00
BRIGHTFIELD	DARKFIELD (BD) SUPER LONG (SL) WORKING DISTANCE M PLAN APOCHROMATS	
378-840-5	BD PLAN APO SL 20X, NA 0.28, WD 30.5mm (While supplies last, new part number 378-840-7)	\$3,227.00
378-841-7	BD PLAN APO SL 50X, NA 0.42, WD 20.5mm	\$3,502.00
378-842-7	BD PLAN APO SL 80X, NA 0.50, WD 13.0mm	\$4,265.00
378-843-5	BD PLAN APO SL 100X, NA 0.55, WD 13.0mm (While supplies last, new part number 378-843-7)	\$5,047.00
OBJECTIVE A	DAPTER TO MOUNT BRIGHTFIELD OBJECTIVES TO DARKFIELD TURRETS	
378-026-1*	RING ADAPTER FOR MITUTOYO M PLAN AND M PLAN APOCHROMAT BRIGHTFIELD OBJECTIVES TO MOUNT ON MITUTOYO DARKFIELD TURRETS	\$150.00
FINITE CONJ	JGATE OBJECTIVES FOR MF 176 SERIES ONLY	
375-036-2*	1X NA 0.03, W.D. 61.0mm	\$1,120.00
375-037-1*	3X NA 0.09, W.D. 77.0mm	\$1,120.00
375-034-1*	5X NA 0.13, W.D. 61.0mm	\$965.00
375-039*	10X NA 0.21, W.D. 51.0mm	\$1,170.00
375-051*	20X NA 0.42, W.D. 20.0mm	\$2,520.00
375-052*	50X NA 0.55, W.D. 13.0mm	\$3,380.00
375-053*	100X NA 0.70, W.D. 6.0mm	\$4,490.00
EYEPIECES		
378-851	10X ULTRA WIDE FIELD FOCUSING EYEPIECES (2) FN=30 FOR #378-001 ONLY	\$923.00
378-856	10X WIDE FIELD FOCUSING EYEPIECES (2) FN=24 ACCEPTS 25MM DIAMETER RETICLES	\$887.00
378-856-5	10X WIDE FIELD FOCUSING EYEPIECE (1) FN=24 ACCEPTS 25MM DIAMETER RETICLES	\$431.00
378-857	15X FOCUSING EYEPIECES (2), FN=16	\$1,320.00
378-858	20X FOCUSING EYEPIECES (2), FN=12	\$1,340.00
EYEPIECE RE	TICLES: 25mm DIAMETER 1.0mm THICK	
516848	91 DEGREE CROSS FULL LINES	\$127.22
516849	GRADUATED LINES: P=0.1/10mm	\$123.60
516850	GRADUATED LINES: P=0.05/5mm	\$123.60
516576	91 DEGREE/60 DEGREE/CHAIN LINES	\$123.60
516577	GRADUATED LINE AND CROSS LINE P=0.1/20mm	\$123.60
516578	CONCENTRIC CIRCLES W/CROSS LINE P=1.2/1.2/18mm	\$123.60
TUBE LENS F	OR CUSTOM APPLICATIONS AND DIRECT VIDEO CAMERA MOUNT TO ALL 378 SERIES OBJECTIVES	
970208	MT-1 FOR USE IN THE VISIBLE WAVELENGTH RANGE - 1X FOCAL LENGTH 200mm	\$731.30
970209	MT-2 FOR USE IN THE VISIBLE WAVELENGTH RANGE - 2X FOCAL LENGTH 400mm	\$844.60
970210	MT-4 DIRECT 1X "C" MOUNT ADAPTER FOR ALL 378 FS OBJECTIVES - (SAME OPTICAL SPEC'S BUT SMALLER O.D.)	\$667.44
378-010	MT-40 "C" MOUNT TUBE LENS 1X FOR DIRECT CONNECTION OF MITUTOYO FINESCOPE OBJECTIVES TO "C" MOUNT VIDEO/DIGITAL CAMERAS	\$1,160.00
378-008	MT-L FOR 355nm TO 1064nm, 1X FOCAL LENGTH 200mm	\$1,720.00
378-009	MT-L4 FOR 266nm TO 620nm, 1X FOCAL LENGTH 200mm	\$3,710.00
t Itamie diecoun	t code is different from standard Finescope. Please contact Mitutovo for appropriate discount	

^{*} Item's discount code is different from standard Finescope. Please contact Mitutoyo for appropriate discount.



Whatever your challenges are, Mitutoyo supports you from start to finish.

Mitutoyo is not only a manufacturer of top-quality measuring products but one that also offers qualified support for the lifetime of the equipment, backed by comprehensive services that ensure your staff can make the very best use of the investment

Apart from the basics of calibration and repair, Mitutoyo offers product and metrology training, as well as IT support for the sophisticated software used in modern measuring technology. We can also design, build, test and deliver measuring solutions and even, if deemed cost-effective, take your critical measurement challenges in-house on a sub-contract basis.



Find additional product literature and our product catalog

www.mitutoyo.com

Note: All information regarding our products, and in particular the illustrations, drawings, dimensional and performance data contained in this printed matter as well as other technical data are to be regarded as approximate average values. We therefore reserve the right to make changes to the corresponding designs. The stated standards, similar technical regulations, descriptions and illustrations of the products were valid at the time of printing. In addition, the latest applicable version of our General Trading Conditions will apply. Only quotations submitted by ourselves may be regarded as definitive. Specifications are subject to change without notice.

Mitutoyo products are subject to US Export Administration Regulations (EAR). Re-export or relocation of our products may require prior approval by an appropriate governing authority.

Trademarks and Registrations

Designations used by companies to distinguish their products are often claimed as trademarks. In all instances where Mitutoyo America Corporation is aware of a claim, the product names appear in initial capital or all capital letters. The appropriate companies should be contacted for more complete trademark and registration information.

Mitutoyo

Mitutoyo America Corporation

www.mitutoyo.com One Number to Serve You Better 1-888-MITUTOYO (1-888-648-8869)

M³ Solution Centers:

Aurora, Illinois (Headquarters) Boston, Massachusetts Charlotte, North Carolina Cincinnati, Ohio Detroit, Michigan Los Angeles, California Birmingham, Alabama Seattle, Washington Houston, Texas

0319-00 WEB PDF ONLY • March 2019